



MANHOLE FRAME & COVER

SEE MANHOLE EFFLUENT & INFLUENT DETAIL



ADDITIONAL REINFORCING BARS REQUIRED AROUND OPENING IN TOP SLAB. SLAB TO BE TO BE TRAFFIC BEARING. SUBMIT SHOP DRAWING FOR APPROVAL.

PLAN VIEW



ELEVATION  
SECTION A-A

TO BE USED WHEN CUT CLASSIFICATION IS 6'-0" OR LESS

-ART-

NOTES

1. SEE MANHOLE NOTES ON DRAWING NO. S-5
2. SEE STANDARD MANHOLE CASTING DRAWING NO. S-4
3. SEE PIPE OPENING DETAIL DRAWING NO. S-11
4. SEE MANHOLE EFFLUENT & INFLUENT DETAIL DRAWING NO. S-12
5. USE 5'-0" I.D. MANHOLE AS DIRECTED BY THE IRCDUS.
6. SEAL SHALL BE USED AT ALL JOINTS. SEE DRAWING S-5, NOTE 20.

INDIAN RIVER COUNTY  
DEPARTMENT OF  
UTILITY SERVICES



MANHOLE  
SLAB-TOP DETAILS S-7

DRAWING  
NO.

MARCH 2018